

Absolute Nouveau


Hand Crafted Drums

Maple Custom Absolute Birch Gustom Absolute Beech Custom Absolute









Absolute Nouveau Lug (Patent Pend)

In taking an entirely fresh approach to lug design, our craftsmen have come up with an ideal design that delivers greater sound performance and convenience. These new lugs hook onto bolts that are attached to the shell, which allows the lug casings themselves to "float" eliminating any direct contact between the lug and the shell. As this design reduces the amount of hardware actually attached to the drum shell, the shell is allowed to vibrate fresh.

Air hole, YESS and bolts on the shell side are all positioned at the shell's nodal point.

the drum shell, the shell is allowed to vibrate freely. On an 11-inch shell the lug bolts, as well as the YESS mounting system, are all attached to the shell at its nodal point to greatly minimize influence on shell resonance to deliver maximum tone.

Another benefit these lugs provide is when it comes time to change the head, it is no longer necessary to remove the tuning bolts from the lugs to remove the hoop. Just loosen the bolts enough to slide the lugs off of the bolts and the hoop comes right off. No more lost washers, etc. and head changes can be done quicker and easier than before.

* Nodal point mounting is patented by the Nobel & Cooley Drum Company.

* Beside the Absolute Nouveau Lugs, the Absolute lugs that were offered on earlier models are also available.



Nylon Ring



New Bass Drum Claws

The new claw design found on the Absolute drums offers quick tuning, smooth head changes, and noise free performance. The tuning bolt utilizes a wing type bolt that aids in tuning the bass drum. Inside of the newly designed zinc die cast craw is a plastic ring insert that keeps the bolt from loosening and falling off. The inner side of the claws is given a plastic covering that prevents noise and offers protection to the hoop from damage.





46-BUP : Blue Sparkle (Regular Color)

New Bass Drum Legs

New bass drum legs feature larger diameter pipes that deliver increased stability and durability. Height adjustment is easily secured with a tuning key and the spur easily slides out with a slide lever. Even with the bass drum set up you can tell the spur's position by looking at the lever. Along with the increase in pipe diameter, the base section uses the same system for securing as found on our cymbal stands to provide more stable and secure positioning of the legs.





New Aluminum Diecast Hoop

Newly designed aluminum diecast hoops are precision designed to withstand rigorous performance. Aluminium is light in weight and eliminates the high frequency noise (overtones) often found in other materials used in hoop design. These hoops hold the head securely in place, provide less sound loss, and deliver a more open sound with greater focus.







Beech





. 8mm

(Reech)



7.5mm (Beech 12"~16"TT


















Three Woods from Which to Choose

Shells in the Absolute Series Drums are available in three different types, Maple, Birch, and Beech. All shells, regardless of the wood type, are created using our exclusive Air Seal System to ensure that each and every shell is perfectly round and of uniform thickness. All shells feature the same ply design but ply thickness varies between the woods to bring out the best of tone and character of each wood.

YESS

Providing minimum mount to shell contact, the Yamaha Enhanced Sustain System the Yamaha Enhanced Sustain System (YESS) delivers increased resonance plus maximizes dynamic range and sustain. Mounts are attached at the drum's nodal point' where shell vibration is minimally reduced while a nylon bushing in the rod clamp offers enhanced stability. This system is also used on our floor tom brackets to deliver maximum sustain.







Additional Air Holes

In addition to the single air hole on the top of the shell on the beater head side, the Absolute Series provides four more holes around the front end of the shell. The extra air holes allow air to escape smoothly reducing backlash on the beater head as air returns from the front. For the same reason, 16-inch and 18-inch floor tom shells are designed with three air holes instead of the usual one. (Only Nouveau lug model) Air holes and Nouveau Lugs are all positioned at the shell's nodal point to minimize influence and deliver maximum resonance from the shell.



: Depth

ote material types. A (Maple) B (Birch) W (Beech)

•Abs	olute Nou	g Model	O* The following are used to denot			
Bass		24"	22"	20"	18"	
Drums	Standard Size	_	14" OBD1522J	14" OBD1520J	14" OBD1518JF	
	Power Size	16"OBD1524	16" OBD1522	16" OBD1520	16" OBD1518F	
	Turbo Size	18"OBD1524T	18" OBD1522T	18" OBD1520T	_	

Floor Toms Universal Size 14" OFT1516U 14" OFT1515U 14" OFT1513U Power Size 16" OFT1518 16" OFT1516 14" OFT1514

Mounted		16"	15"	14"	13"	12"	10"	8"
Toms	Standard Size	-	-	10"OTT1514J	9" OTT1513J	8" OTT1512J	712 OTT1510J	7" OTT1508J
	Universal Size	_	_	_	10" OTT1513U	9" OTT1512U	8" OTT1510U	_
	Power Size	14" OTT1516	13" OTT1515	12" OTT1514	11" OTT1513	10" OTT1512	9" OTT1510	8" OTT1508

 Absolute Lug Model O* The following are used to denote material types. A (Maple) B (Birch) W (Beech) Bass 24' 22" 20" 18" : Depth Drums 14" OBD1118JF Standard Size 14" OBD1122J 14" OBD1120J Power Size 16" OBD1124 16" OBD1122 16" OBD1120 16" OBD1118F Turbo Size 18" OBD1124T 18" OBD1122T 18" OBD1120T

Floor 18" 16" 15" 14" 13" Toms 14" O FT1116U 14" OFT1115U Universal Size 14" OFT1113U 16" OFT1118 16" OFT1116 14" OFT1114 Power Size

Mounted 14" 16" 13" 12" 10" Toms Standard Size 10"OTT1114J 9" OTT1113J 8" OTT1112J 712 OTT1110J 7" OTT1108J 10" OTT1113U 9" OTT1112U 8" OTT1110U Universal Size Power Size 14" OTT1116 13" OTT1115 12" OTT1114 11" OTT1113 10" OTT1112 9" OTT1110 8" OTT1108



























All Round Triple Ball Clamp Tom Holder

Ball Mount & Clamp

Yamaha's legendary ball mount & clamp has been providing drummers with extremely flexible and stable toon placement for over 20 years. Consisting of a large resin ball and wing bolt this legalians are seen as the clamb wing bolt, this ingenious system incorporates an internal retaining plate to deliver maximum stability that will withstand the very rigorous performance.

Floating Bass Drum System

(Short Rod)

A pipe post stabilizer providing height adjustment on the bass drum's pedal side ensures that the beater makes contact at the head's center. The stabilizer fits into a pipe clamp on the underside of the drum and is underside of the drum and is equipped with a memory clamp for

quick and precise setup. A pair of supports provides added stability.





UV Finishes

Along with 6 regular color finishes, the new Absolute Series is available in an additional 43 different color finishes. The series also uses UV cured finishes that are not available anywhere else. These new finishes control discoloration and offer depth and brilliance that is distinctively different from all other finishes. Yamaha has also developed new finishing techniques that



Oak (Birch) P.Mahogany & Falkata

Birch, P.Mahogany & Falkata

Philippine Mahogany

(FRC)

(Ste

Trip

stee

Trip

stee

Trip

stee

Stage Custom Advantage Nouveau

Stage Custom Advantage

RYDEEN

deliver brilliant sparkle colors and textured finishes that until now, had to be applied with wraps. In addition to the new finishes, you can choose from some unique coverings that are also available.





Iron Pearl (Covered finish)

loops	YES	G.S.S			NEW	Z	Z	NEW	18" Floating	Short 5	Long To Ball Clamp	Triple
T, FT)	TT	FT	Pipe (Clamp	В	ass Dru	ım Spu	ırs	BD System	(Short Rod)	(Long Rod)	Tom Holder
minium st (3.0mm)	•	•	•	-	•	-	-	-	•	•	-	•
minium st (3.0mm)	•	•	•	-	•	-	-	-	•	•	-	•
minium st (3.0mm)	•	•	•	-	•	-	-	-	•	•	-	•
naHoop el 2.3mm)	•	•	•	-	-	•	-	-	-	•	-	•
le flange (1.6mm)	•	•	•	-	-	•	-	-	-	•	-	•
le flange (1.6mm)	•	•	•	-	•	-	-	-	•	•	-	•
naHoop el 2.3mm)	•	•	•	-	-	•	-	-	•	•	-	•
le flange (1.6mm)	•	•	•	-	-	-	•	-	-	•	-	•
le flange (1.6mm)	•	•	•	-	-	-	•	-	-	•	-	•
le flange (1.6mm)	•	-	-	•	-	-	-	•	-	-	•	-

Maple Custom

Soon after its introduction, the Maple Custom series quickly became the new standard for professional maple drums.

All Maple Shell

Maple offers a warm sound with full sustain and outstanding projection. Our original Air-Seal System shells feature select maple wood cut in plies, positioned with staggered diagonal seams, and sealed together with evenly distributed air pressure. This process ensures that every drum shell is in round and of uniform thickness. It also provides the shell with superior tone quality and durability. Floor tom and tom shells use a 7-ply design. Additional plies in the 10-ply bass drum shells help produce a low fundamental tone.

Lugs

Yamaha's small gold lugs consist of a precision-machined lug nut inserted in a small springless casing. Attached to the drum shell at its nodal point by a single bolt, the shell is allowed to vibrate freely. A special nylon insert prevents tension rods from becoming loose during play.



Bass Drums

Star Pov Turbo Size 18" MBD1324T 18" MBD1322T 18" MBD1320T

TURQUOISE MAPLE

Floor Toms

	24		20	10	П	10	10	1-4
ndard Size	1	14" MBD1322J	14" MBD1320J	14" MBD1318JF		16" MFT1318	16" MFT1316	14" MFT1314
wer Size	16" MBD1324	16" MBD1322	16" MBD1320	_	ľ			
					1			

Mounted Toms

	16"	15"	14"	13"	12"	10"	8"
Standard Size	_	_	10" MTT1314J	9" MTT1313J	8" MTT1312J	71/2" MTT1310J	7" MTT1308J
Power Size	14" MTT1316	13" MTT1315	12" MTT1314	11" MTT1313	10" MTT1312	9" MTT1310	8" MTT1308















































Recording Custom

Probably the most recorded drum in history, the Recording Custom has set the benchmark for excellence for over twenty years.

All Birch Shell

Birch shells produce a lower fundamental tone than maple. Their crisp sound quality with short attack decay make them optimal for recording situations. Our Air-Seal System shells feature select birch wood cut in plies, positioned with staggered diagonal seams, and sealed together with evenly distributed air pressure. This process ensures that every drum shell is in round and of uniform thickness while providing superior tone quality and durability.







Hi-Tension Lugs

Precision-machined lug nuts provide noise-free control due to their springless casing design. Manufactured as genuine onepiece units, our high tension lugs have established one of the principal trends in modern design.







SOB : SOLID BLACK

CHERRY WOOD

SHELLS HARDWARE BD922Y HW845 (HARDWARE KIT) TT908Y WS903A

CS835 TT910Y CS830 TT912V HS830A TT915Y \$5830 TT916Y FP850 **BSD096**

CL945Ax3

oo Drum

Dass Druilis									
	26"	24"	22"	20"	18"				
Standard Size	14" BD926YJ	14" BD924YJ	14" BD922YJ	14" BD920YJ	14" BD918YJ				
Power Size	_	16" BD924Y	16" BD922Y	16" BD920Y	_				
Turbo Size	_	18" BD924YT	18" BD922YT	18" BD920YT	_				

Floor Toms

	18"	16"	14"	
ΥJ	16" FT918Y	16" FT916Y	14" FT914Y	

TH945A

Mounted Toms

	16"	15"	14"	13"	12"	10"	8"
Standard Size	_	12" TT915YJ	10"TT914YJ	9" TT913YJ	8" TT912YJ	71/2" TT910YJ	_
Power Size	14" TT916Y	13" TT915Y	12"TT914Y	11"TT913Y	10" TT912Y	9" TT910Y	8" TT908Y
							: Depth











































8

Maple Custom DEFINITIVE



All Maple Shells

The 6-ply bass drum, floor tom, and tom tom shells are all crafted with Yamaha's original "Air Seal System" to ensure the utmost in quality. We revived the once common 60° rounded edge and combined it with a triple-flanged hoop—also an old standard—to give these drums a thick yet mild retro tone. Shells are available in same four high-quality color finishes that are found in the Absolute series drums.

Deeper Bass Drums Deliver Power and Tone

24, 22, and 20-inch bass drums are all designed with a deeper 17-inch depth to create a heavier, deeper tone and draw greater power, and volume out of the bass drum's shell. Likewise, the 18-inch shell uses a 15-inch depth to gain the same benefits.

Universal Size

Shells are designed deeper than thin shells, and thinner than deep shells. This "best of both worlds" approach offers great versatility making the drums easy to use in a wide range of musical styles.

Unique Floor Tom Sizes

Floor toms are available in 18 x 16, 16 x 15, and 14 x 13-inch configurations. This unique size lineup makes it easier to find the right size that fits with your tom tom selection.

Small Lugs

The unique crowne body lug casings are fixed to the drum shell with only a single bolt allowing the drum to vibrate freely. They also provide precise and secure tuning.



YESS







New Designed Claws, **New Bass Drum Legs**

The series utilizes new large diameter legs like those found on the Absolute Nouveau series drums. These thicker legs are designed to provide greater stability and durability. The spur is designed with a lever that makes sliding the spur tip in and out easy, and height is easy to adjust and secure with a drum key.





Black Marine Pearl (Covered finish)



Blue Oyster (Covered finish)



Psychedelic White (Covered finish)



Mint Candy (Covered finish)

2	Universal Size	17" MBD824U	17" MBD822U	17" MBD820U	15" MBD818UF			
Floor		18"	16"	14"				
Toms	Power Size	16" MFT818	15" MFT816	13" MFT814				
Mounted		16"	15"	14"	13"	12"	10"	8"
Toms	Standard Size	_	_	_	_	_	_	7" MTT808J
	Universal Size	_	_	_	10" MTT813U	9" MTT812U	8" MTT810U	_
	Power Size	14" MTT816	13" MTT815	12" MTT814	_	_	_	_



Bass Drums I





















: Depth















Oak Offers This New Series A Powerful Sound, Excellent Attack And Impressive Looks

Newly Designed, All Oak Shells


Utilization of Yamaha's Air-Seal System allows for the first time use of oak in a drum shell. As in our Maple and Birch series, this process delivers a shell that's perfectly round, with uniform thickness and excellent durability. The bass drum shell uses a 7-ply design while tom tom and floor tom shells are 6-ply. All shells throughout the entire range deliver a solid fundamental and powerful sound.






New Small Lugs

These newly designed, small round shaped lugs are easily attached to the shell with a single bolt. Small footprints offer minimum lug to shell contact allowing the shell to deliver maximum tone. They also provide precise and secure tuning.



Unique Size Floor Tom

Due to the unique characteristics that this new material provides, we rethought the design of the lineup's tom toms. The result was the addition of a 14-inch deep tom to the common 16-, 15-, and 13-inch floor toms. The new size offers a unique sound that is versatile enough for use as either a main or sub floor tom.







SHELLS

NBD818UF NTT810LL NTT812U NFT814 NSD085

HARDWARE

HW665

(HARDWARE KIT) CS655 CS650 HS650 \$\$650 FP700

(OPTIONAL) TH945A

Matte Natural Oak

Floating Bass Drum System (18")





7 Color Finishes

The Oak Series is available in three glossy and four matte colors. Each a high-quality finish that shows the natural beauty of the wood's grain.

[Glossy Finishes]



AMO: York Honey Amber Oak



BRO: Bryce Canyon Brown Oak

*Please understand that the woods used are natural products therefore grain and color, such as light and dark areas, will differ between drums.

20"

[Matte Finishes]











: Depth

Bass Drums Universal Size | 17" NBD824U | 17" NBD822U | 17" NBD820U | 17" NBD820U | 17" NBD818UF Floor

Floor		18"	16"	15"	14"	13"
Toms	Universal Size	_	14" NFT816U	14" NFT815U	_	14" NFT813U
	Power Size	16" NFT818	16" NFT816	-	14" NFT814	

22"

Mounte Toms

ed		16"	14"	13"	12"	10"	8"
3	Standard Size	-	1	_	1	_	7" NTT808J
	Universal Size	_		10" NTT813U	9" NTT812U	8" NTT810U	_
	Power Size	14" NTT816	12" NTT814	_	_	_	_





















18"



























uge Custa ADVANTAGE NOUVEAU

Newly Designed Nouveau



Yamaha has refined its Nouveau lug design, utilizing FRC (Fiber Reinforced Composite) on the bolt to which the lug is hooked. The lugs incorporate a unique floating design that eliminates contact between the lug casing and shell body to let the shell vibrate freely and reduce damping. Its design also makes for quick and easy head changes since you no longer need to completely remove the tuning bolts from the lugs. This keeps your washers from getting lost as well.

Air hole, YESS and bolts on the shell side are all attached to the shell at its nodal point to greatly minimize influence on shell resonance to deliver maximum tone.

*Nodal point mounting is patented by the Nobel & Cooley Drum Company.



SCN2F5

SHELLS

SBD622LIN STT612UN SFT616N

SSD065N

CS745 x 2 HS740 SS740 FP7210 TH945A

Optional DS640

MCR: MATTE CRANBERRY RED



MSN: MATTE SIENNA

NW: NATURAL WOOD

SCN2FS5

SHELLS SBD622LIN STT610UN STT612UN SFT616N SSD065N

CS745 x 2 HS740 SS740 FP7210

TH945A

HARDWARE Optional DS640

SCN2T5

SHELLS SBD622UN STT610UN STT612UN

FP7210 STT614N SSD065N TH945A

TH904

CI 945A

HARDWARE Optional CS745 x 2 DS640 HS740 SS740



8-ply bass, floor tom, tom tom, and snare shells consist of plies of Oak, Philippine Mahogany, and Falkata. Shells are available in three color matte finishes that each show the beauty of the Oak's grain.









8-ply bass, floor tom, tom tom, and snare shells incorporate plies of Birch, Philippine Mahogany, and Falkata. Shells are available in five gloss color finishes, which include two fade color finishes.

NW : NATURAL WOOD CR : CRANBERRY RED HA · HONEY AMBER



FBA: FBL: FADE BROWN FADE RAVEN





SCN0F5

SHELLS

SBD620UN STT610UN STT612LIN SFT614N

SSD065N HARDWARE

CS745 x 2 HS740 SS740 FP7210 TH945A

Optional DS640

MBL: MATTE RAVEN BLACK

Bass Drums

24" 22" 20" 18 Universal 17" SBD624UN 17" SBD622UN 17" SBD620UN 15" SBD618UN Floor Toms 16" 14" ower 16" SFT618N 16" SFT616N 14" SFT614N

Mounted Toms : Depth 13" 8" Standard 8" STT608JN Universal size 9" STT610UN 11" STT613UN 10" STT612UN 13" STT615N 12" STT614N 14" STT616N Power size

































Stage Custom ADVANTAGE



SCAWS0T5

(SHELLS) SBD620YS STT610YS STT612YS STT614YS SSD065A

(HARDWARF) CS745 x2 TH945A HS740 SS740 TH904 CL945A FP7210

DS750 FYN:Fade Yellow Natural





FBL:Fade Raven Black



FCR:Fade FMG:Fade Cranberry Red Marina Green



FPB:Fade Purple Blue



Yellow Natural Natural Wood

Rowerful Tone Inspired by Rydsen, the God of Thunder DEEN

35 Years Experience of Professional Quality Drum Making Experience Packed Into New Series That Delivers Outstanding Cost Performance



Yamaha's Original *Air-Seal Sustem*

To ensure that the 6-ply Philippine Mahogany shells are perfectly in the round, we utilize the same Air-Seal System that is used on our high-end drums when forming the shells. This special process provides the Rydeen Series' 6-ply Philippine Mahogany shells with outstanding durability. The shells are finished with durable poly coverings and are available in five beautiful colors.



(Includes the following)

RBD522 CS651W **RTT512** HS650W RTT513 SS650W **RFT516** FP6110 RSD1455 CL940BMx2

*Cymbals are not included

ROYAL BLUE



(Includes the following)

RBD518 CS651W RTT510 HS650W **BFT513** SS650W RSD1350 FP6110

CH740 *Cymbals are not included

GARNET RED















































Yamaha Original Ball Clamp Mount

A pair of Yamaha's famed Ball Clamp Mounts and Tom Holders mounted on the Rydeen's bass drum offer maximum freedom when setting up the drums.

Hardware with Double-Braced Leas

Accompanying the Rydeen series drums is a set of genuine Yamaha hardware designed to deliver outstanding function similar to that found in our high-end hardware. Stands are designed with double-braced legs, which deliver both light weight and excellent durability.

14" & 13" WOOD Snare Drums

The accompanying wood snare drum is available in either 14"x5 1/2" or 13"x5" dimensions.



RSD1455 (Size: 4"x5 1/2") (Snare: 20 strands)

RYDEEN ASH



RSD1350 (Size: 13"x5") (Snare: 14 strands)

AHAMAY

Premium Qualitu Wood Bass Drum Hoop

The bass drum's hoop is made of real wood and is accented with an inlay that is of the same color as the shell to

enhance the overall look of the drums.



(Includes the following)

RBD522 **RTT510** RTT512 RFT514 **BSD1455**

CS651W HS650W SS650W FP6110 CL940BMx2

(Optional) DS640

Cvmbals are not included

COLOR FINISHES



RAG : RACING GREEN

ROB: ROYAL BLUE





GNR: GARNET RED



NTB: NIGHT BLACK



(Includes the following)

CS651W BBD520 HS650W RTT510 SS650W **RTT512** FP6110 RFT514 RSD1350 CL940BMx2

*Cymbals are not included



Bass Drums

	22"	20"	18"
Power Size	16" RBD522	16" RBD520	15"RBD518

Floor Toms

16"	14"	13"
16" RFT516	14" RFT514	12"RFT513

Mounted Toms

	13"	12"	10"	
Universal Size	9 1/2" RTT413	9" RTT512	8" RTT510	[

: Depth

VAMAHA DRIIMMERS

CANADA			Masaharu Ishikawa	Studio, Tour	
Steve Augustine	Thousand Foot Krutch	MCA	Akira Jimbo	Nettai Jazz Band, Hida Jimbo, Intelligent Jazz, Casiopea, Indepen	k
_	UZEB, Gino Vannelli Band	MCA	Hiroyuki Noritake		
Randy Cooke	Kim Mitchell, Rik Emmit	MCA	Masahiko Osaka	Jazz, Session	
-	Loverboy	MCA	George Otsuka	We Three	
	Headstones	MCA	Eiji Shimamura	Studio, Tour	
	Holly Cole Trio, Montuno Police	MCA	Kozo Suganuma		
	Kittie	WCA			
Wilson Laurencin		MCA	Yuichi Tokashiki		
	Treble Charger	MCA	Soul Toul	Studio, TM. Stevens	
-	-		MEXICO		
	GOB	MCA	Alfonso Andre	Jaguares	
	Peter Cincotti, Andy Bey, Carla Coo		Randy Ebright	Molotov	
	Celine Dion	WCA	UK		
	5 after 4	MCA	Nick Banks	Pulp	
	The New Deal	MCA	Andy Bews	Hundred Reasons	
	k.d. lang, Tom Cochrane	MCA	Joe Birch		
	Amanda Marshall, Colin James	MCA	Stuart Cable	Stereophonics	
FRANCE			Ben Carrigan		
Roger Biwandu	I Muvrini	WCA	Will Champion	Coldplay	
Andre Ceccarelli	Stefano Di Battista + studio	MCA/MC	Caroline Corr	The Corrs	
Jean-Paul Ceccarelli	Independant	BCA	Ed Graham		
Regis Ceccarelli	Patrick Bruel, Salvador + studio	WCA	Dominic Greensmith	Reef	
Fred 'Burns' Ceraudo	Pleymo	OAK	Simon Hanson	Death In Vegas	
Mino Cinelu	Miles Davis, Sting, David Sanborn	MC/DTX	Kenney Jones	Small Faces, The who	
Herve 'RV' Coquerel	Black Bomb A, Loudblast	OAK	Ravi Kesavaram	My Vitriol	
Fabien Dubos	Куо	OAK	Derrick Mckenzie	· ·	
Omar El-Barkaoui	Independant	WCA	Mark Mondesir	Courtney Pine, Pee Wee Ellis, Various Session	
John 'Nejo' Gitlis	Enhancer OAK	BCA/DTX			,,,,
Fabien Haimovici	Tete, Laurent Voulzy	WBC	Larry Mullen, Jr. Andy Newmark		,
	Stephane Huchard Quintet	WCA	_	Sly & The Family Stone, Roger Waters, Stud	110
	Sting, Peter Gabriel, Gloria Este	OAK	Gary Powwell	Libertines	
	Yannick Noah	OAK	Neal Primrose	Travis	
	Cox	BCA	Rod Quinn	Ronan Keating	
	Julien Clerc, Alizee + studio & tour	WCA	Aled Richards	Various Sessions	
Jacques 'Keuj' Sahuguede		WCA	Mark Richardson	Little Angels, Skunk Anansie, Feeder	
		WCA	Chuck Sabo	Natalie Umbruglia, Elton John, Sophie Ellis Bextor, Various Sessi	m
Manu Vincentelli	Independant		Andrew Small	Massive Attack, Kylie, Various Sessions	3
Manu Vincenteili BELGIUM/AUSTRI		OAK	Ian Thomas	Seal, Paul McCartney, Sting, Studio	
		HICA DO	Neal Wilkinson	Paul McCartney, American Idol, Studio	0
	Toots Thielemans, Anne Ducros	WCA/RC	AUSTRALIA_		
Didi Konzett	//004NDW4///4	MCA	Kere Buchanan		
GERMANY/SWITZ		140	Mark Charters		R
	Die Aerzte	MC	Roby Corelli		
	independent	MCA	Geoff Green		R
_	Peter Maffay / Udo Lindenberg	MCA	Clinton Harn		R
	Reamonn	MCA	Ryan Menezes		
	Naidoo, Sabrina Setlur, Nannini	OAK	Rudy Miranda		I
	Martin Schenkel Band	MCA	John Morrison		
	Chuck Loeb / Haffner Band	MCA	Gerry Pantazis	X	10
Didi Konzett	Klostertaler	MCA	Brad Polain		1
James Kottak	Scorpians, Krunk	WCA	Gordon Rytmeister		1
Rainer Schumann	Fury in the Slaughterhouse	MCA			1
Erik Smith		MCA	USA		
Roman Storch	Modern Talking	MCA	?uestlove	The Roots	
INDONESIA			Alex Acuna	Latin Legend, Weather Report, LA Studio	
Gilang Ramadhan	KRAKATAU	SC	Tommy Aldridge	Whitesnake	
ITALY / SPAIN_			Zachary Alford	B-52s, David Bowie, T.HOTEI	
	EA Group, Gigi Finizio	MCA	Cliff Almond	Manhattan Transfer, Michel Camilo	
Corrado Ciceri	Wine Spirit	RC	Horacee Arnold	Charles Mingus, Bud Powell	
Barbara Mavilia	Terence Trent D'Arby	MCA	Michael Baker	Whitney Houston, Bruce Hornsby	
Furian Max			Marcus Baylor	Yellowjackets	
	Elio e le storie tese	MCA	Carter Beauford	Dave Mathews Band	
Patti Ballinas	Eno e le storie tesé		Poogie Bell	Marcus Miller	
		RC/DTX	Ignacio Berroa	The Gonzalo Rubalcaba Trio	
JAPAN	Ct. Jr. T	1404	J.D. Blair	Shania Twain, Victor Wooten	
_	Studio, Tour	MCA	Michael Bland	The New Power Generation, Maxwell	
Shouji Hashimoto		WCA		Terry Evans, Ry Cooder, LA Studio	
Himawari	Sex Machineguns	OAK	Phil Bloch		
				RATT	
Masayoshi Imaizumi	Studio, Tour	WCA	Bobby Blotzer Mike Bordin	Ozzy Osbourne, Faith No More	

MC : Maple cust BEECH : Beech C HG : Hipgig	om MCA : Maple Custom Abs custom WCA : Beech Custom Ab HG Sr : Hipgig Sr	solute solute	RC : Recording C OAK : Oak Custor JK : Junior Kit	ustom BCA : Birch Custom Abs n SC : Stage Custom CJ : Club Jordan	olute
	Independent	MCA	Shannon Larkin	Godsmack	BCA
	Hall and Oates	МС	Paul Leim	Nashville Studio, Shania Tuain, Larry Carlton, Randy Travis B	
Tom Brechtlein	Chick Corea, Rickie Lee Jones	BCA	Chris Lukes	Clay Aiken, Kelly Clarkson	BCA
Robert Breithaupt	Capital University, Conservatory of Music	MCA	Ralph MacDonald	Jimmy Buffett, Independent, Roberta Flack	
	Pat Benatar	WCA	Pete Magadini	Educator	MCA
-	Stevie Wonder	BCA	David Mancini	Doc Severinson	MC
	Pearl Jam, Sound Garden	BCA MCA	Sherrie Maricle Rick Marotta	Diva, New York University	MC HG
	University of Kentucky George Duke, Fame, Britney Spears	BCA	Jerry Marotta	Carly Simon, Steely Dan, Paul Simon Indigo Girls, Peter Gabriel, Carly Simon	
	Sting, Steely Dan	OAK	Dave Mattacks	Mary Chapin Carpenter, Paul McCartney, Elton John	
	Herbie Hancock, Cassandra Wilson	BCA	Sean McCurley	Kirk Whalum, LeAnn Rimes	BCA
	Educator	MCA	Marvin McQuiity	Fred Hammond	WCA
Jimmy Chamberlin	Zwan, Smashing Pumpkins	MCA	Pete Merriweather	Aaron Carter	BCA
Ndugu Chancler	Studio Legend	MCA	Russ Miller	Bobby Caldwell, Jennifer Love Hewitt	OAK
Dave Chavarri	III Nino	MCA	Allison Miller	Natalie Merchant	MCA
	Memento	OAK	T. S. Monk	T.S. Monk Sextet	MC
-	Donald Fagen	MCA	Rick Montalbano		MCA
Wilburn "Squidly" Cole John "JR" Conners	Ziggy Mariey Cave In	RC OAK	Aaron Montgomery Richie Morales	Trapt Miles Storm Source Come SLINV Domehous	OAK
	Tribal Tech	MCA	Dan Needham	Mike Stern, Spyro Gyra, SUNY Purchase Michael McDonald, Amy Grant, Nashville Studio	
	Bryan Adams	MCA	Jamie Oldaker	Eric Clapton, Independent	MCA
	Boomish, Randy Brecker, Bluth	MCA	Chad O'Neal	Sleeping At Last	OAK
	Hiram Bullock, NYC Broadway	BCA	Sean Paddock	Kenny Chesney	MCA
Peter Donald	3prime, Clark Terry, Joe Henderson	BCA	Earl Palmer	New Orleans & Studio Legend	HG
Charley Drayton	Studio, Expensive Winos, B-52s	SC	Chris Parker	Brecker Brothers, Miles Davis, Bob Dylan, NYC Broadwa	y MC
Phil Ehart	Kansas	WCA	Khari Parker	Destiny's Child	BCA
	Earth, Wind & Fire, Bette Midler	OAK	Jim Petercsak	Crane School of Music	MCA
	Godsmack	BCA	Raul Pineda	Independent	MCA
	Weather Report, Steps Ahead, Independent	OAK	Felix Pollard	Anastacia	MCA
Peter Michael Escovedo		MCA	Dafnis Prieto	Dave Samuels' Caribbean Jazz Project, Independent	MCA
	Peabo Bryson, Arturo Sandoval, Nestor Torres University of Southern California, Frank Sinatra	RC MCA	Prairie Prince Mike Ramsey	The Tubes, Jefferson Starship, Todd Rundgren Burning Spear	MCA MC
	Late Show with David Letterman	MCA	Karriem Riggins	Roy Hargrove, Ray Brown	MC
_		HG Sr.	Ben Riley	Ron Carter Quartet, Sphere	MCA
Brian Fullen	Nashville Studio	MC	John Riley	Village Vanguard Orchestra, Manhattan School of Music	MCA
Steve Gadd	Eric Clapton, Paul Simon, James Taylor B	CA/MCA	John Robinson	Studio Great, Rufus, Chaka Kahn	BCA
David Garibaldi	Tower of Power	BCA	Adonis Rose	Nicholas Payton	BCA
	Huey Lewis & The News	BCA	Antonio Sanchez		MCA
	Twisted Method	OAK	Steve Schaeffer	LA Studio	MC
	Gato Barbieri	MCA MCA		Peter Gabriel, Alice Cooper, Gloria Gainer, NY Studio	
	Independent University of Michigan	MCA	George Schwindt Kendrick Scott	Terence Blanchard, Crusaders	OAK MCA
	Berklee College of Music	BCA	Oscar Seaton	George Benson	WCA
-	Aaron Carter, Britney Spears	WCA	Herb Shucher	Randy Travis	BCA
	Luther Vandross	BCA	Joe Sirois	The Mighty, Mighty Bostones	MCA
Tommy Harden	Reba McEntire, Nashville Studio	MCA	Mark Slutsky	Independent	BCA
Eric Harland	Terence Blanchard	MCA	Kevin Soffera	Independent	MCA
	Jazz Legend	MC	Ed Soph	University of North Texas	BCA
Levon Helm	The Band	BCA	John "Jabo" Starks		MCA
	Hoobastank	MCA	Joel Stevenett	Jo Dee Messina	BCA
	Blues Traveler University of Oregon	MC MCA	Clyde Stubblefield Chad Szeliga	James Brown, John Scofield Independent	MC BCA
	University of Arizona	MCA	Akira Tana	Tana Reid	MCA
	Los Angeles Music Academy, Frank Zappa	BCA	Donald Tardy	Andrew WK, Obituary	BCA
	Dianne Reeves, Joshua Redman	MC	Kimberly Thompson		BCA
Susie Ibarra	Independent	MC	Trevor Thornton	Saxon, Asia, Michael Lee Ferkins	MC
Brian Ireland	Something Corporate	BCA	David Throckmorton	Independent	MCA
	Wynton Marsalis	MCA	Adam Topol	Jack Johnson	MCA
-	Earth, Wind & Fire	MC	Tony Verderosa	Independent	WCA
	Dizzy Gillespie, Andrienne Wilson, Chaka Khan	OAK	Matt Walker	Smashing Pumpkins, Filter	MC
	Jazz Legend	MCA	Mark Walker	Paquito D' Rivera, Berklee College of Music	OAK
	Roy Hargrove, Ray Brown Palling Stance, James Taylor Billy, Jayl Sangu Ballin	MCA	Ian Wallace	Bob Dylan, King Crimson, Don Henley	MC
Steve Jordan	Rolling Stones, James Taylor, Billy Joel, Sonny Rollin.	MC MC	Dave Weckl	Dave Weckl Band, Chick Corea Miles Davis, Independent	MC MCA
Mike Kennedu					
	George Strait TLC, Stevie Nicks	RC	Buddy Williams	Manhattan Transfer, George Benson	OAK



Manu Katché Signature JUNIOR KIT





New Floating Bass Drum System



JK6F4MK

(Shell Kit) BD16JKMK (Bass Drum) TT10JKMK (Tom Tom) FT13JKMK (Floor Tom) SD12JKMK (Snare Drum)

(Hardware)

CS651x2 (Cymbal Stand) CL940LA (Clamp) SS652 (Snare Stand) HS650 (Hi-hat Stand) FP6210 (Foot Pedal) DS640 (Drum Stool)

*A portion of the hardware shown in the photograph is that of a previous model. Current products are equipped with the most recent hardware models

* Cymbals are not included.

A Compact Drum Kit That's Great For Kids

"Why don't you make a real drum kit for kids?" That request by Manu Katché caught our designer's ears and had them designing this new compact drum kit. Compact, it is designed for kids but it is far from being a toy. A 16"x16" 9-ply bass drum with a 6-ply 13"x13" floor tom, 10"x7" tom and 12"x5" snare are all made of quality Philippine Mahogany using our original Air Seal System to produce shells that are perfectly round. Compact and easily transportable, these drums deliver tone that is so unbelievably real you might just be tempted to use it on gigs of your own.









































SYW: SUN YELLOW

Specification

		Bass Drum	m Floor Tom Mounted Tom		Snare Drum		
Shells		Philippine Mahogany 9-ply	Philippine Mahogany 6-ply				
Size (Diam	eterxDepth)	xDepth) 16"x16" 13"x13" 10"x7"		16"x16" 13"x13" 10"x7" 12		12"x5"	
Hoops		Triple flange steel (1.6mm)					
Hood	Тор	Remo UT Clear Power Stroke 3 (Batter)	Remo UT Coated		Remo UT Coated		
Head Bottom		Remo UT Ebony Power Stroke 3 (Front)	Remo UT Clear		Remo UT Clear Remo UT Snare		Remo UT Snare



RICK MAROTTA Signature ina

The Rick Marotta Signature Hipgig offers drummers a complete kit that can be packed into two compact cases for easy transport. When setup two toms, the snare drum and two cymbals all attach to the bass drum by means of three pipe clamps. When packed up, the two tom toms and the snare drum fit neatly into the twopiece bass drum while all hardware fits into the drum stool. Both the stool and bass drum fit into separate soft cases for transport. The set comes complete with our highly regarded hardware and all drums are fitted with special Remo heads. For performance that is hard to believe, in a kit as compact as this, take a close look at your nearest Yamaha dealer.

Add-On* 8" and 12" Toms Provide the Hipgig with Greater Expressive Power and Versatility.

*Sold separately



T08HGARM

size: 8" x 5 1/2"



* Soft case supplied. The tom will not fit inside the bass drum.



TT12HGARM size: 12" x 6 1/2"



* Soft case supplied. The tom will not fit inside the bass drum.

HG15DCARM

(Drum stool doubles

as hardware case.) DC Soft Case



CHERRY WOOD

* Cymbals are not included.

HG6T4ARM

(Shell Kit)

BD16HGARM (Bass Drum) TT10HGARM (Tom Tom) TT13HGARM (Tom Tom) SD12HGARM (Snare Drum)

TT, SD Soft Case

(Hardware) TH-HG (Tom Holder) CL940LAx2 (Clamp CH745x2 (Cymbal Holder) HS-HGA (Hi-hat Stand) FP6210 (Foot Pedal)

with the add-on

[optional parts]

TT08HGARM (8" Tom Tom) TT12HGARM (12" Tom Tom) WS770 (Double Tom Stand) CH743 (Cymbal Holder)







WHITE MARINE PEARL

































Specification

Topos.	opeometric.						
		Bass Drum (Separate type)	um (Separate type) Mounted Toms		Snare Drum		
Sh	ells	Birch & Philippine Mahogany 7-ply					
Size (DiameterxDepth)		16"x20"	13"x7" 10"x6"		12"x5"		
Hoops		Triple flange steel (1.6mm)					
Head	Тор	Remo Renaissance Power Stroke 3 (Batter)	(Remo Ambassador Coated		
пеаа	Bottom	Remo Renaissance Power Stroke 3 (Front)			Remo Clear Ambassador Remo Ambassador Sna		Remo Ambassador Snare



Al Foster Signature Hipgig Sr.

Larger Diameters Offer Greater Performance

Compared to the original Hipgig, drum diameters on the new Hipgig Sr. have all been increased to offer drummers greater tone and performance in a still compact, easy to transport drum kit. The bass drum diameter has increased two inches, from the original 16 inches to 18, while the 14 and 12 inch tom toms and the 13 inch snare are all one-size larger than before.

The 7-ply shells are made of Birch and Philippine Mahogany using our original Air-Seal System. Yamaha CS641 cymbal stands have been utilized to

allow the use of larger cymbals and greater setting variation.

Add-On* 10" Tom Provides the Hipgig Sr. with Greater Expressive Power. *Sold separately **O YAMAHA**

TT10HGAL size: 10" x 6 1/2"

* Soft case supplied. The tom will not fit inside the bass drum.

HG8T4AL

(Shell Kit) BD18HGAL (Bass Drum) TT12HGAL (Tom Tom) TT14HGAL (Tom Tom) SD13HGAL (Snare Drum) TT. SD Soft Case

(Hardware) CS651x2 (Cymbal Stand) CL940LAx3 (Clamp) HS650 (Hi-hat Stand) FP6210 (Foot Pedal) DS750 (Drum Stool) Hardware Soft Bag

JAGUAR PATTERN

* Cymbals are not included.

COLOR FINISHES



WMP



Specification

IGR GOLD MARINE PEARL JAGUAR PATTERN WHITE MARINE PEARL

		Bass Drum (Separate type) Mounted Toms		ed Toms	Snare Drum
Shells		Birch & Philippine Mahogany 7-ply			ply
Size (DiameterxDepth)		18"x22" 14"x8 1/2" 12"x6 1/2" 13"x5"			
Но	ops	Triple flange steel (1.6mm)			
Head	Тор	Remo Renaissance Power Stroke 3 (Batter)	Remo Ambassador Coated		Remo Ambassador Coa
пеац	Bottom	Remo Renaissance Power Stroke 3 (Front)	Remo Clear	Ambassador	Remo Ambassador Snareted



CD15CJ consists of

- REVERSED PEDAL (FP810CJ)
 PERCUSSION BOARD
 PKS : PINK S
- CYMBAL HOLDER.
- - PKS : PINK SPARKLE SLS : SILVER SPARKLE

included

Alex Acuña Signature

Wood Shells Offer Warm, Powerful and Deep tone.

The all maple 6-ply shells are formed using our original Air Seal System to ensure perfectly round shells. A steel ring added to the shells inner edge adds power, tightness and excellent attack to the drum. Yamaha's small lugs provide quick and precise tuning even during performance.





TM14AAS (14"x6 1/2")

TM13AAS (13"x6 1/2")

CWH930 Double Tom Stand WS770

* Cowbells are not included.



Actual

TM14AA (White Sparkle) Size: 14"x7"

Specification (White Sparkle)

Model TM08AA TM10AA TM12AA TM13AA TM14AA TM15AA Size (DiameterxDepth) 8"x6 1/2" 10"x6 1/2" 13"x7" 14"x7" 15"x7" 12"x6 1/2"

The Tamborito is equipped with our YESS tom mount for easy attachment to a double tom stand or a tom clamp that is attached to a cymbal stand. This allows easy integration of the tambourine's sound into any drum kit. Use it to add just the right flavor to any Latin, Pop, R&B or Country tune.



TB1030AA Size: 10"x3"

TB1230AA

TB1330AA Double Tom Stand

WS865

Boom Cowbell Holder CWH930

Cowbells are not included.

TB1230AA Size: 12"x3"

TB1330AA Size: 13"x3"



Model	TB1030AA	TB1230AA	TB1330AA	
Size (DiameterxDepth)	10"x3"	12"x3"	13"x3"	
Shells	All Maple 6-ply			
Tuning Bolts	6	6	8	
Hoops	Triple flange steel (1.6mm)			
Head (Top)		Remo Ambassador Coate	ed	



Russ Miller's idea put into reality. Large diameter diaphragm captures bass drum sub-frequencies.

The SUBKICK consists of a 10" x 5" birch and Philippine mahogany 7-ply shell that houses a 16cm, 50-watt low-frequency driver cone that acts as a diaphragm for this sub-frequency capture device. While its large diameter enables the SUBKICK to capture the natural low frequencies produced by the bass drum it can be used in tandem with a standard kick mic setup, to deliver an extremely powerful bass drum tone. The SUBKICK also works effectively with a floor tom, bass guitar, low brass. etc.

■ SPECIFICATIONS

SI LON ICATION	edi Loli IoATIONO						
Model	SKRM100						
Size	10"x5"						
Shell	Birch & Philippine Mahogany 7-ply (w/ Rod Clamp)						
Color Finish	Vintage Black						
Ноор	Triple Flange Steel (1.6mm)						
Lug (Tuning Bolts)	One-piece Lug (6)						
Head (Top & Bottom)	Mesh Head						
Туре	Dynamic						
Polar Pattern	Bi-directional						
Output Jack	XLR-3-32 (cannon) jack						
Weight	Main unit : 4kg, Stand : 3kg						
Frequency Response	50Hz~2000Hz						
Output Impedance	9‰						
Front Sensitivity	-47dB/ Bar (1kHz)						

DAXDAD

New sound widens your tonal palette

It looks a bit like a stretched out tom laid on its side but its actually a sub bass drum that offers an original sound from its unique design. Measuring 12-inches in diameter with a 22-inch depth, the DAXDAD is made with a 7-ply birch and Philippine mahogany shell formed

with our original Air-Seal System. It's sound is powerful with a long sustain, and by changing tension on the front and batter heads, a wide range of tonal variations can be produced.



Four air holes



Floating drum system offers stability when performing



*A soft case that makes transport easy is also included.

■ SPECIFICATIONS Model BD12DD Size 12"x22" Birch & Philippine Mahogany 7-ply Color Finish Vintage Natural Triple Flange Steel (1.6mm) Hoop Lug Separate Lug **Tuning Bolts** 6 Front Remo Pinstripe Batter Remo Pinstripe

Metronome CLICKSTATION



Features and functions that make the ClickStation much more than a metronome.

Feel the tempo

The ClickStation is equipped with a small round vibrating pad that pulsates in tempo with the beat. In situations where audible or visual cues may be distracting, simply press your finger on the pulsating pad to clearly feel where the tempo is.

86 memory allocations for saving time

Tempo settings can be saved as songs in the ClickStation's internal memory for recall and playback later. If you need tempos for each song in a set, you can arrange up to 20 songs into a chain for consecutive playback. The ClickStation provides memory for up to 10 chains making it a great aid for a variety of performing situations.

Easy to read backlit LCD


Information is displayed on the LCD in an easy to read at a glance manner. A backlight ensures that information is understandable even on a dark stage and its light can be set to remain lit as long as the power is on, or to switch off in order to conserve power.

MIDI IN jack offers syncing with MIDI devices

With the MIDI IN jack located on the side of the unit, the ClickStation is able to sync with the MIDI clock from a sequencer or other such MIDI device.

Flexible mounting and placement with optional mounts

Optional mount adaptors let you mount the ClickStation on a mic stand, cymbal stand, or cowbell holder so you can conveniently position the ClickStation where it is needed the most.



Specifications

Opcomodition.	•		
Metronome	Tempo : 35-300 beats/minute		
	Beats: BEAT 1:0~9, BEAT 2 (complex beat):-~9		
	Tempo Accuracy: 0.16%		
	Vibration : Pulses in sync with the tempo		
	Tempo LED : Flashes in sync with the tempo/beat		
Memory	Memory Allocations: 86		
	Total Number of Chain Programs : 10		
	Steps : 20 songs (per chain program)		
Input/Output	TRIGGER IN: Standard Monaural Phone Jack		
	MIDI IN : Standard 5-Pin DIN Connector		
	AUX IN : Standard Stereo Phone Jack DC IN : 9V		
	PHONES: Standard Stereo Phone Jack x 1, Mini Stereo Phone Jack x 1		
Power Supply	Power Adaptor (PA-3C) or 6LR61 Battery (x1)		
Dimensions	170 x 122 x 37 mm (6-11/16" x 4-13/16" x 1-7/16")		
Weight	395g (13.9 oz) (including battery)		
Accessories	Tilt Angle, Wing Bolt, 6LR61 Battery		



DTXTREME IIs Set

Drum Trigger Module
DTXT2s

TP120SD **TP100** x 4 3 Zone Cymbal Pad PCY150S **PCY130S** e Cymbal Pad PCY130

KP65 **RHH130** *Foot Pedal (DFP9410) not included.

Hi-hat Stand (OPTIONAL) HS740 Snare Stand MS100DR SS652

RS150





PCY130S



Single Zone Cymbal Pad **PCY130**

Head Sound



Real Hi-Hat Pad (Dual Zone) **RHH130**

Newlu Developed Pads Deliver Outstanding Sensitivity and Feel

Professional Sound Quality (New Sounds Create Huge Library of 2177 Drum Voices)

New Pad Controller Provides Snare and Tom Pads with the Utmost in Function.

Sampling Capability Offers Versatile Sound Expansion

Smart Media Offers Convenient Data Storage







Labeled Cables Make Connection Quick and Easy

Cable ends are labeled with input jack and pad names so you know which cable goes where without having to double-check. Also, a spiral tube can be used to wrap around the cables to keep your setup looking neat.

Two New DTX Series Monitor Systems Incorporate Stereo Satellite Speakers and Sub-Woofer

The two new monitoring systems consist of left and right side satellite speakers (MS100DR: 40Wx2, MS50DR: 20Wx2) attached to the rack with the supplied SPAT1

System	MS100DR	MS50DR
Satellite Speakers	40Wx2	20Wx2
Speaker Attachment SPAT1	•	•
Subwoofer Unit	100W type	50W type

attachment, and a bass reflex subwoofer system of 100W for the MS100DR or 50W for the MS50DR. The MS100DR is equipped with a Line Output jack that lets you connect to a mixer or recorder so you can use the system in live or recording situations, in addition to practice monitoring.



Satellite Speakers



SPAT1



100W Subwoofer Unit



50W Subwoofer Unit



Rack System RS150



Tom Holder TPCL150



Cvmbal Attachment CYAT150

DTXPRESS





New Cymbal & Hi-Hat) Pads

Virtual Session Sharpens: Your Skills:





Compact Storing of both Special and Standard Sets



DTXPRESS III Special Set *Foot Pedal (FP7210) not included.

Drum Trigger Module

DTXP3

Rack System

RS75 (OPTIONAL)

Monitor System MS100DR DTPK95MSP

Single Zone Cymbal Pad TP65S

TP65 x 3 KP65 PCY150S RHH130

PCY130S HS650

DTXPRESS III Standard Set

Drum Trigger Module DTXP3

Rack System **RS70**

Pad Set DTPK95M

PCY65S

TP65S TP65 x 4

gle Zone Cymbal Pad PČY65

KP65 **HH65**



DTXPRESS III



Yamaha's sound engineers have gone all out and created a wealth of high-quality sound waves, centered mostly on cymbal sounds, for the new DTXPRESS III. In total, the DTXP3 offers 990 Drum voices with refined preset drum kits, and preset songs.



Snake Cable Offers Quick and Easy Setup







SNARE DRUMS LINEUP

	WOOD							
	Shell		Maple		Birch	Beech		
	Series	Maple Custom Absolute	Maple Custom	Maple Custom Difinitive	Birch Custom Absolute	Beech Custom Absolute	Oak	
Diameter	Depth	Absolute	maple oustoni	Difinitive	Absolute	Absolute	Custom	
Diailletei	7"	ASD0547 ASD0147	-	_	BSD0547	WSD0547	NSD087	
	6 1/2"	-	MSD0106 MSD0116	-	-	-	_	
14"	6"	-	-	MSD0846	-	-	_	
	5 1/2"	ASD0545 ASD0145	MSD0105 MSD0115	-	BSD0545	WSD0545	NSD085	
	4"	ASD0544	_	-	BSD0544	_	_	
	6 1/2"	-	-	-	-	-	-	
13"	5 1/2"	ASD0535	-	_	BSD0535	_	_	
.0	5"	-	=	-	-	-	-	
	4"	ASD0534	-	MSD0834	_	_	-	
	6 "	_	_	_	=	-	-	
12"	5 1/2"	-	-	_	_	_	_	
	5"	-	-	-	-	_	-	
	4"		-	_			_	
10"	5 1/2"	-	-	-	-	-	-	
10	E"	_	_	_	_	_	_	

Signature Model

			WOOD			
	Shell	Maple	Birch	Beech	Birch & P.Mahogany	
Diameter 15"	Depth 5"	-	BSD1550JR (J. Robinson)		_	
	7"	MSD1470EJ (E. Jones)	=	-	-	
	6 1/2"	-	-	_	_	
14"	6"	MSD14AF (A. Fig) ASD1460BC (B. Cobham)	-	-	-	
14"	5 1/2"	MSD1455AC (A. Ceccarelli)	BSD1455NJR (J. Robinson)	WSD1455SE (S. Emory)	-	
	5"	MSD14SG (S. Gadd) MSD14DW (D. Weckl)	BSD14SG (S. Gadd)	-	_	
	3 1/2"	-	_	_	-	
	7"	-	- WSD13AJ (A. Jimbo)			
13"	6 1/2"	MSD1365SJ (S. Jordan)	-	-	-	
	5"	MSD13SG (S. Gadd) MSD13DW (D. Weckl)	BSD13SG (S. Gadd)	-	_	
12"	4"	MSD12PE (P. Erskine)	=	-	_	
10"	4"	MSD10PE (P. Erskine)	-	-	-	
8"	5"	-	_	_	SD08CJ (S. Jordan)	
20					(0.00.001)	_

					MET	AL	
Oak	Oak (P.Mah & Fa	Birch) ogany Ikata	Steel		Brass	Copper	Aluminum
Musashi	Stage Custom Nouveau	Stage Custom	Stage Custom				
-	-	-	-	_	SD4470	-	-
-	-	-	-	SD2465		SD6465	SD3465
-	_	_	-	-	-	_	_
-	SSD065N	SSD065A	SD265	SD2455	SD4455	SD6455	SD3455
ı	-	-	-	_	SD4440	SD6440	_
NSD1365M	-	-	-	-	SD4365	-	-
-	_	_	-	SD2355	SD4355	-	_
-	-	SSD1350A	-	-	-	-	-
-	_	_	-	SD2340	SD4340	_	_
NSD1260MBGW	-	-	_	_	-	_	_
_	_	_	-	SD2255	-	_	_
-	-	SSD1250A	-	-	-	-	-
-	-	_	-	SD2240	_	_	-
-	-	-	-	SD2055	-	-	-
-	-	SSD1050A	ı	_	-	_	_

	METAL	l	ı								
Steel	Brass	Copper	Aluminum								
-	-	_	_								
-	-	-	-								
-	SD465MK (M. Katche) SD465PL (P. Leim)	_	_								
-	-	_	_								
SD255SG SD255NC (S. Gadd) (N. Chancler)	SD455SG SD455MK SD455PL (S. Gadd) (M. Katche) (P. Leim)	SD655RH (R. Haynes)	SD355DW (D. Weckl)								
-	-	-	_								
-	SD435DG (D. Garibaldi)	-	-								
-	-	-	-								
-	-	_	_								
=	_	-	-								
-	_	_	_								
=	-	-	-								
	_	_	_								
		I.									

SPECIFICATION

	Comp	onents		Ba	ss Drui	ns			
		ameter	26"	24"	22"	20"	18"	16"	15"
Manda	Standard Size	xDepth Model No.	-	-	x14 " ABD1522J	x14 " ABD1520J	x14 " ABD1518JF	-	-
Maple Custom	Universal Size	xDepth Model No.	-	-	-	-	-	-	-
Absolute	Power Size	xDepth Model No.	-	x16 " ABD1524	x16 " ABD1522	x16 " ABD1520	x16 " ABD1518F	x14 " ATT1516	x13 " ATT1515
(Nouveau Lug type)	Turbo Size	xDepth Model No.	-	x18 " ABD1524T	x18 " ABD1522T	x18 " ABD1520T	-	-	-
Manla	Standard Size	xDepth Model No.	-	-	x14 " ABD1122J	x14 " ABD1120J	x14 " ABD1118JF	-	-
Maple Custom	Universal Size	xDepth Model No.	-	-	-	-	-	-	-
Absolute (Absolute Lug type)	Power Size	xDepth Model No.	-	x16 " ABD1124	x16 " ABD1122	x16 " ABD1120	x16 " ABD1118F	x14 " ATT1116	x13 " ATT1115
(/wooldie Edg type)	Turbo Size	xDepth Model No.	-	x18 " ABD1124T	x18 " ABD1122T		-	-	-
Birch	Standard Size	xDepth Model No.	-	-	x14 " BBD1522J	x14 " BBD1520J	x14 " BBD1518JF	-	-
Custom	Universal Size	xDepth Model No.	-	-	-	-	-	-	-
Absolute (Nouveau Lug type)	Power Size	xDepth Model No.	-	x16 " BBD1524	x16 " BBD1522	x16 " BBD1520	x16 " BBD1518F	x14 " BTT1516	x13 " BTT1515
(Turbo Size	xDepth Model No.	-	x18 " BBD1524T	x18" BBD1522T		4 4 11	-	-
Birch	Standard Size Universal	Model No.	-	-	x14 " BBD1122J	x14 " BBD1120J	x14 " BBD1118JF	-	-
Custom	Size	Model No.	-	-	- v46!!	- 46"	- 2461	- 44.411	-
Absolute (Absolute Lug type)	Power Size	Model No.	-	x16" BBD1124 x18"	x16" BBD1122 x18"	x16" BBD1120 x18"	x16 " BBD1118F	x14 " BTT1116	x13 " BTT1115
. • • • • • • • • • • • • • • • • • • •	Turbo Size	xDepth Model No.	-		BBD1122T	BBD1120T	-	-	-
Beech	Standard Size	xDepth Model No.	-	-	x14 " WBD1522J	x14 " WBD1520J	x14 " WBD1518JF	-	-
Custom	Universal Size	xDepth Model No.	-	-	-	-		-	-
Absolute (Nouveau Lug type)	Power Size	xDepth Model No.	-	x16 " WBD1524			x16 " WBD1518F	x14 " WTT1516	x13 " WTT1515
(Turbo Size	xDepth Model No.	-	x18 " WBD1524T	x18" WBD1522T		4 4 11	-	-
Beech	Standard Size	Model No.	-	-	x14 " WBD1122J	x14 " WBD1120J	x14 " WBD1118JF	-	-
Custom	Universal Size	Model No.	-	- x16"	- x16"	- x16"	- x16"	- 24.4"	- 42"
Absolute (Absolute Lug type)	Power Size	Model No.	-	WBD1124 x18"	WBD1122 x18"	WBD1120 x18 "		x14 " WTT1116	x13 " WTT1115
	Turbo Size	Model No.	-		WBD1122T x14"		- x14"	-	-
Manle	Standard Size	Model No.	-	- x16"	MBD1322J x16"			- 24.4"	- v43"
Maple Custom	Power Size	Model No.	-	MBD1324 x18"	MBD1322 x18"	MBD1320 x18"	-	x14 " MTT1316	x13 " MTT1315
	Turbo Size Standard	Model No.	- x14"		MBD1322T x14"		- x14"	-	- x12"
Recording	Size	Model No.	BD926YJ	BD924YJ x16"	BD922YJ x16 "	BD920YJ x16"	BD918YJ	- x14"	TT915YJ x13"
Recording Custom	Power Size Turbo	Model No.	-	BD924Y x18"	BD922Y x18"	BD920Y x18"	-	TT916Y	TT915Y
	Size Standard	xDepth Model No. xDepth	-	BD924YT	BD922YT	BD920YT	-	-	-
Maple	Size Universal	Model No.	-	- x17"	- x17"	- x17"	- x15"	-	-
Custom Definitive	Size	Model No.	-	MBD824U			MBD818UF	- x14"	- x13"
- 411111111	Size	Model No.	-	-	-	-	-	MTT816	MTT815

	Mou	nted To	ms			Floor Toms							
				10"	8"	18"		15"		13"			
X'	10"	x9"	x8"	x7 1/2"	x7"				· .				
AII	1514J	x10"	x9"	ATT1510J x8 "	A111508J		x14"	x14"		x14"			
	12"	ATT1513U x11 "	ATT1512U x10"	ATT1510U x9 "	x8"	x16"	AFT1516U	AFT1515U	x14"	AFT1513U			
	1514			ATT1510			AFT1516	-	AFT1514	-			
	-	-	-	-	-	-	-	-	-	-			
			ATT1112J	x7 1/2" ATT1110J		-	-	-	-	-			
	-	x10 " ATT1113U		x8" ATT1110U	-	-		x14 " AFT1115U		x14 " AFT1113U			
	12" 1114	x11 " ATT1113	x10 " ATT1112	x9 " ATT1110	x8 " ATT1108	x16 " AFT1118	x16 " AFT1116	-	x14 " AFT1114	-			
	-	-	-	-	-	-	-	-	-	-			
	10" 1514J	x9 " BTT1513,J		x7 1/2 " BTT1510J		-	-	-	-	-			
	-	x10"	x9"	x8 " BTT1510U	_	-	x14 " BFT1516U	x14 " BFT1515U		x14 " BFT1513U			
	12 " 1514	x11 " BTT1513	x10 " BTT1512	x9 " BTT1510	x8 " BTT1508	x16 " BFT1518	x16 " BFT1516	-	x14 " BFT1514	-			
	-	-	-	-	-	-	-	-	-	-			
	10" 1114J			x7 1/2 " BTT1110J		-	-	-	-	-			
	-	x10 " BTT1113U	x9" BTT1112U	x8" BTT1110U	-	-	x14 " BFT1116U	x14 " BFT1115U	-	x14 " BFT1113U			
	12 " 1114	x11 " BTT1113	x10 " BTT1112	x9 " BTT1110	x8 " BTT1108	x16 " BFT1118	x16"	-	¥14"	-			
	-	-	-	-	-	-	-	-	-	-			
				x7 1/2 " WTT1510J		-	-	-	-	-			
	-	x10 " WTT1513U	x9" WTT1512U	x8" WTT1510U	-	-	x14 " WFT1516U	x14 " WFT1515U	-	x14 " WFT1513U			
	12 " Γ1514		x10 " WTT1512	x9" WTT1510	x8" WTT1508	x16 " WFT1518		-	x14 " WFT1514	-			
	-	-	-	-	-	-	-	-	-	-			
	10" 1114J			x7 1/2 " WTT1110J		-	-	-	-	-			
	-	x10 " WTT1113U	x9" WTT1112U	x8" WTT1110U		-		x14 " WFT1115U		x14 " WFT1113U			
WT	12 " Γ1114	x11 " WTT1113	x10 " WTT1112	x9" WTT1110	x8" WTT1108	x16 " WFT1118	x16 " WFT1116	-	x14 " WFT1114	-			
	-	-	-	-	-	-	-	-	-	-			
				x7 1/2 " MTT1310J		-	-	-	-	-			
	12 " Γ1314	x11 " MTT1313	x10 " MTT1312	x9 " MTT1310	x8 " MTT1308	x16 " MFT1318	x16 " MFT1316	-	x14 " MFT1314	-			
	-	-	-	-	-	-	-	-	-	-			
	10" 14YJ	x9 " TT913YJ	x8" TT912YJ	x7 1/2 " TT910YJ	-	-	-	-	-	-			
	12" 914Y	x11 " TT913Y	x10 " TT912Y	x9" TT910Y	x8" TT908Y	x16 " FT918Y	x16 " FT916Y	-	x14 " FT914Y	-			
	-	-	-	-	-	-	-	_	-	-			
	-	-	-	-	x7 " MTT808J	-	-	-	-				
	-	x10 " MTT813U	x9" MTT812U	x8" MTT810U	-	-	-	-	-	-			
	12 " T814	-	-	-	-	x16 " MFT818	x15 " MFT816	-	x13 " MFT814	-			

SPECIFICATION

	Components				Bass Drums						
	26"	24"	22"	20"	18"	16"	15"				
	Standard Size	xDepth Model No.	-	-	-	-	-	-	-		
Oak Custom	Universal Size	xDepth Model No.	-	x17 " NBD824U	x17 " NBD822U	x17 " NBD820U	x17 " NBD818UF	-	-		
	Power Size	xDepth Model No.	1	-	-	-	-	x14 " NTT816	-		
Stage Custom		xDepth Model No.	-	-	-	-	-	-	-		
Advantage	Universal Size	xDepth Model No.	-	x17 " SBD624UN	x17 " SBD622UN	x17 " SBD620UN	x15 " SBD618UN	-	-		
Nouveau	Power Size	xDepth Model No.	1	-	-	-	-	x14 " STT616N	x13 " STT615N		
Stage Custom	Universal Size	xDepth	-	x17 " SBD624YS	x17 " SBD622YS	x17 " SBD620YS	x15 " SBD618YS	-	-		
Advantage	Power Size	xDepth	1	-	-	-	-	x14 " STT616YS	x13 " STT615YS		
RYDEEN	Standard Size	xDepth Model No.	-	-	x16 " RBD522	x16 " RBD520	x15 " RBD518	-	-		
KIDLLN	Universal Size	xDepth Model No.	-	-	-	-	-	-	-		

	Se	t Config	uration			Recommended H/W and SD		
Maple	e Custo	m Abs	olute (N	ouveau L	.ug type)	i !		
AYN2F4A	AYN2F41A	ABD1522	AFT1516	-	-	HW868	ASD0545	
ATNZF4A	AYN2F42A	ATT1512	ATT1513	TH945A	-	HWVOOO	A3D0343	
AYN2T4A	AYN2T41A	ABD1522	ATT1514	-	-	HW868	ASD0545	
AYNZI4A	AYN2T42A	ATT1510	ATT1512	TH945A	CL945A	CSAT924		
AYN0T4A	AYN0T41A	ABD1520	ATT1514	-	-	HW868	ASD0545	
ATNUT4A	AYN0T42A	ATT1510	ATT1512	TH945A	CL945A	CSAT924		
bsolute Li	ug type - AY2F AY0T	4A (AY2F41A+. 4A (AY0T41A+.	AY2F42A), AY2 AY0T42A)	2 T4A (AY2T41/	A+AY2T42A),	 		
Birch	Custo	m Absc	lute (No	ouveau Li	ug type)	i		
BYN2F4A	BYN2F41A	BBD1522	BFT1516	-	-	HW868	BSD0545	
DINZF4A	BYN2F42A	BTT1512	BTT1513	TH945A	-		2020040	
BYN2T4A	BYN2T41A	BBD1522	BTT1514	-	-	HW868	BSD0545	
DTINZT4A	BYN2T42A	BTT1510	BTT1512	TH945A	CL945A	CSAT924		
BYN0T4A	BYN0T41A	BBD1520	BTT1514	-	-	HW868	BSD0545	
DINUI4A	BYN0T42A	BTT1510	BTT1512	TH945A	CL945A	CSAT924		
Зеес	h Custo	om Abs	olute (N	louveau l	ua type)			
4D/NOT 4 A	WYN2F41A	WBD1522	WFT1516	-	-	. H/W000	WCDOE	
NYN2F4A	WYN2F41A WYN2F42A	WBD1522 WTT1512	WFT1516 WTT1513	- TH945A	-	HW868	WSD0545	
	WYN2F42A WYN2T41A	WTT1512 WBD1522	WTT1513 WTT1514	-	-	HW868		
	WYN2F42A WYN2T41A WYN2T42A	WTT1512 WBD1522 WTT1510	WTT1513 WTT1514 WTT1512	- TH945A - TH945A	-			
WYN2T4A	WYN2F42A WYN2T41A WYN2T42A WYN0T41A	WTT1512 WBD1522 WTT1510 WBD1520	WTT1513 WTT1514 WTT1512 WTT1514	- TH945A -	- - - - CL945A	HW868 CSAT924 HW868	WSD054	
WYN2T4A WYN0T4A	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510	WTT1513 WTT1514 WTT1512 WTT1514 WTT1512	- TH945A - TH945A	- - - CL945A - CL945A	HW868 CSAT924	WSD054	
WYN2T4A WYN0T4A	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A Ug type - WY2F WY0T	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 4A (WY2F41A+ 4A (WY0T41A+	WTT1513 WTT1514 WTT1512 WTT1514 WTT1514 WTT1512 WY2F42A), WY0T42A)	- TH945A - TH945A	- - - CL945A - CL945A 1A+WY2T42A),	HW868 CSAT924 HW868	WSD054	
WYN2T4A WYN0T4A bsolute Lu	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A WYN0T42A WYNOT42A WYNOT42A WYNOT42A WYNOT42A WYNOT42A	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 4A (WY2F41A+ 4A (WY0T41A+ tom MBD1322	WTT1513 WTT1514 WTT1512 WTT1514 WTT1512 WY2F42A), WY0T42A)	- TH945A - TH945A /2T4A (WY2T4	- - - CL945A - CL945A 1A+WY2T42A),	HW868 CSAT924 HW868	WSD0545	
WYN2T4A WYN0T4A absolute Lu	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A Ug type - WY2F WY0T C C US MYA2F41 MYA2F42	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 4A (WY2F41A+ 4A (WY0T41A+ tom MBD1322 MTT1312	WTT1513 WTT1514 WTT1512 WTT1514 WTT1514 WTT1512 WY2F42A), WY WY0T42A)	- TH945A - TH945A	- - - CL945A - CL945A 1A+WY2T42A),	HW868 CSAT924 HW868 CSAT924	WSD0545 WSD0545 MSD0105	
WYN2T4A WYN0T4A Absolute Lu Map MYA2F4	WYN2F42A WYN2T41A WYN0T41A WYN0T41A WYN0T41A WYN0T42A UYN0T42A WYN0T42A WYN0T42A WYN0T42A WYN0T42A WYN0T42A WYN0T42A WYA2F41 MYA2F42 MYA2F42	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 4A (WY2F41A+ 4A (WY0T41A+ tom MBD1322 MTT1312 MBD1322	WTT1513 WTT1514 WTT1512 WTT1512 WTT1512 WY2F42A), WY0T42A) MFT1316 MTT1313 MTT1314	- TH945A - TH945A (274A (WY2T4	- - - - - - - - - - - - - - - - - - -	HW868 CSAT924 HW868 CSAT924 HW868	WSD0545 WSD0545 MSD0105	
WYN2T4A WYN0T4A Absolute Lu Map MYA2F4	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T41A WYN0T41A WYN0T42A WYOT WYA2F41 MYA2F42 MYA2T41 MYA2T41	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 4A (WY2F41A+ 4A (WY0T41A+ tom MBD1322 MTT1312 MBD1322 MTT1311	WTT1513 WTT1514 WTT1514 WTT1514 WTT1514 WTT1512 WY2F42A), WY WY0T42A) MFT1316 MTT1313 MTT13134 MTT13114	- TH945A - TH945A /2T4A (WY2T4	- - - CL945A - CL945A 1A+WY2T42A),	HW868 CSAT924 HW868 CSAT924 HW868 HW868 CSAT924	WSD0548 WSD0548 WSD0108	
WYN2T4AAWYN0T4AAbsolute Lu Wlap WYA2F4 WYA2F4	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T41A WYNOT42A Ig type - WY2F WY0T C US MYA2F41 MYA2F42 MYA2F42 MYA2T41 MYA2T42 MYA0T41	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 44 (WY2F41A+ 44 (WY0T41A+ 45 (WY0T41A+ 46 (WY0T41A+ 47 (WY0T41A+ 48 (WTT1513 WTT1514 WTT1512 WTT1512 WTT1512 WY2F42A), WYW0T42A) MFT1316 MTT1313 MTT1314 MTT1312	TH945A TH945A TH945A TH945A TH945A TH945A		HW868 CSAT924 HW868 CSAT924 HW868 HW868 CSAT924 HW868	WSD0548 WSD0548 WSD0108	
WYN2T4AAWYN0T4AAbsolute Lu Wlap WYA2F4 WYA2F4	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T41A WYN0T41A WYN0T42A WYOT WYA2F41 MYA2F42 MYA2T41 MYA2T41	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 4A (WY2F41A+ 4A (WY0T41A+ tom MBD1322 MTT1312 MBD1322 MTT1311	WTT1513 WTT1514 WTT1514 WTT1514 WTT1514 WTT1512 WY2F42A), WY WY0T42A) MFT1316 MTT1313 MTT13134 MTT13114	- TH945A - TH945A (274A (WY2T4	- - - - - - - - - - - - - - - - - - -	HW868 CSAT924 HW868 CSAT924 HW868 HW868 CSAT924	WSD0548 WSD0548 WSD0108	
WYN2T4A WYN0T4A WYN0T4A Wbsolute Lu Wap MYA2F4 MYA2F4 MYA2T4 MYA0T4	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A IG type - WY2F WY0T- IC CUS MYA2F41 MYA2F42 MYA2F41 MYA2T41 MYA0T41 MYA0T42 MYA0T41 MYA0T42 Ording	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 WBD1520 WTT1510 WBD1320 MTT1312 MBD1322 MTT1312 MBD1322 MTT1310 MBD1320 MTT1310 Custo	WTT1513 WTT1514 WTT1512 WTT1514 WTT1514 WTT1514 WTT1512 WY2F42A), WW0T42A) MFT1316 MTT1313 MTT1314 MTT1314 MTT1314	TH945A TH945A TH945A TH945A TH945A TH945A		HW868 CSAT924 HW868 CSAT924 HW868 HW868 CSAT924 HW868	WSD0548 WSD0548 WSD0108	
WYN2T4A WYN0T4A WYN0T4A WYN0T4A DSolute Lu WAP MYA2F4 MYA2F4 MYA2T4 MYA0T4 Reco	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A WYN0T42A WYN0T42A IS SECOND IN THE SECOND	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 WBD1520 WTT1510 #A (WY2F41A+ #A (WY0T41A+ #MBD1322 MTT1312 MBD1322 MTT1310 MBD1320 MTT1310 Custo BD922Y	WTT1513 WTT1514 WTT1514 WTT1514 WTT1514 WTT1512 WY2F42A), WY0T42A) MFT1316 MTT1313 MTT1314 MTT1312 MTT1314 MTT1312	- TH945A - TH945A (274A (WY2T4 - TH945A - TH945A - TH945A		HW868 CSAT924 HW868 CSAT924 HW868 HW868 CSAT924 HW868 CSAT924	WSD0548 WSD0548 MSD0108 MSD0108	
WYN2T4A WYN0T4A WYN0T4A WYN0T4A DSolute Lu WAP MYA2F4 MYA2F4 MYA2T4 MYA0T4 Reco	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A WYN0T42A II WYN0T42A WYN0T42A WYN0T42A WYA2F41 MYA2F42 MYA2T41 MYA2T42 MYA0T41 MYA0T41 MYA0T42 Crding RY2F41 RY2F42	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 AA (WY2F41A+ AA (WY0T41A+ TOM WBD1322 MTT1312 MBD1322 MTT1310 MBD1320 MTT1310 Custo BD922Y TT912Y	WTT1513 WTT1514 WTT1514 WTT1514 WTT1514 WTT1512 WY2F42A), WYW0T42A) WTT1316 MTT1313 MTT1314 MTT1314 MTT1312 MTT1314 MTT1312 MTT1314 MTT1312	TH945A TH945A TH945A TH945A TH945A TH945A		HW868 CSAT924 HW868 CSAT924 HW868 HW868 CSAT924 HW868 CSAT924 HW868	WSD0548 WSD0548 MSD0105 MSD0105 MSD0105	
WYN2T4A WYN0T4A WYN0T4A WSOlute Lu Wap MYA2F4 MYA2T4 MYA0T4 RPCC	WYN2F42A WYN2T41A WYN2T41A WYN0T41A WYN0T42A WYN0T42A Ig type - WY2F WY0T- IC CUS MYA2F41 MYA2F42 MYA2F41 MYA2F42 MYA0T41 MYA0T42 MYA0T41 MYA0T42 RY2F41 RY2F41 RY2F41 RY2F42 RY2T41	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 WBD1520 WTT1510 WBD1320 MTT1312 MBD1322 MTT1312 MBD1322 MTT1310 MBD1320 MTT1310 Custo BD922Y BD922Y	WTT1513 WTT1514 WTT1514 WTT1514 WTT1514 WTT1514 WTT1512 WY2F42A), WWY0T42A) MFT1316 MTT1313 MTT1314 MTT1314 MTT1312 MTT1314 MTT1312 TF916Y TT913Y TT914Y	- TH945A - TH945A - TH945A (2T4A (WY2T4 - TH945A - TH945A - TH945A		HW868 CSAT924 HW868 CSAT924 HW868 CSAT924 HW868 CSAT924 HW868 HW868	WSD0548 WSD0548 MSD0105 MSD0105 MSD0105	
Map MYA2F4 MYA2T4 MYA0T4	WYN2F42A WYN2T41A WYN2T42A WYN0T41A WYN0T42A WYN0T42A IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 WBD1520 WTT1510 4A (WY2F41A+ tom MBD1322 MTT1312 MBD1322 MTT1310 MBD1320 MTT1310 Custo BD922Y TT912Y BD922Y TT910Y	WTT1513 WTT1514 WTT1514 WTT1514 WTT1514 WTT1512 WY2542A), WWY0T42A) MFT1316 MTT1313 MTT1314 MTT1312 MTT1314 MTT1312 MTT1314 MTT1312 TT916Y TT9114Y TT912Y	- TH945A - TH945A (274A (WY2T4 - TH945A - TH945A - TH945A		HW868 CSAT924 HW868 CSAT924 HW868 HW868 CSAT924 HW868 CSAT924 HW868	WSD0548 WSD0548 MSD0105 MSD0105 MSD0105	
WYN2T4A WYN0T4A Absolute Lu Map MYA2F4 MYA2T4 MYA0T4 Reco	WYN2F42A WYN2T41A WYN2T41A WYN0T41A WYN0T42A WYN0T42A Ig type - WY2F WY0T- IC CUS MYA2F41 MYA2F42 MYA2F41 MYA2F42 MYA0T41 MYA0T42 MYA0T41 MYA0T42 RY2F41 RY2F41 RY2F41 RY2F42 RY2T41	WTT1512 WBD1522 WTT1510 WBD1520 WTT1510 WBD1520 WTT1510 WBD1320 MTT1312 MBD1322 MTT1312 MBD1322 MTT1310 MBD1320 MTT1310 Custo BD922Y BD922Y	WTT1513 WTT1514 WTT1514 WTT1514 WTT1514 WTT1514 WTT1512 WY2F42A), WWY0T42A) MFT1316 MTT1313 MTT1314 MTT1314 MTT1312 MTT1314 MTT1312 TF916Y TT913Y TT914Y	- TH945A - TH945A - TH945A (2T4A (WY2T4 - TH945A - TH945A - TH945A		HW868 CSAT924 HW868 CSAT924 HW868 CSAT924 HW868 CSAT924 HW868 HW868	WSD0545 WSD0545 WSD0545 WSD0105 MSD0105 MSD0105 BSD0545 BSD0545	

	Mou	nted To	ms			Floor Toms						
1	14"	13"	12"	10"	8"	18"	16"	15"	14"	13"		
	-	-	-	-	x7 " NTT808J	-	-	-	-	-		
	-	x10 " NTT813U	x9 " NTT812U	x8" NTT810U	-	-	x14 " NFT816U	x14 " NFT815U	-	x14 " NFT813U		
	x12 " NTT814	-	-	-	-	x16 " NFT818	x16 " NFT816	-	x14 " NFT814	-		
	-	-	-	-	x7" STT608JN	-	-	-	-	-		
	-	x10" STT613UN	x9" STT612UN	x8" STT610UN	-	-	-	-	-	-		
	x12 " STT614N	-	-	-	-	x16 " SFT618N	x16 " SFT616N	-	x14 " SFT614N	-		
	-	-	-	-	-	-	-	-	-	-		
	x12" STT614YS	x11" STT613YS	x10" STT612YS	x9" STT610YS	x8" STT608YS	x16 " SFT618YS	x16" SFT616YS	-	x14" SFT614YS	-		
	-	-	-	-	-	-	x16 " RFT516	-	x14 " RFT514	x12 " RFT513		
	-	x9 1/2 " RTT513	x9 " RTT512	x8" RTT510	-	-	-	-	-	-		

Set	Config	uratio	n						Rec H/	omn W ar	nended nd SD
e Cus	tom	Defi	nitiv	/e				-			
DY2F41	MBD82	2U MFT	816		-	-		- i	1 11/10	co	MCDOOA
DY2F42	MTT812	2U MTT	813U	TH	1945A	-			HVV8	b8	MSD084
DY2T41	MBD82	2U MTT	814		-	-					MSD084
DY2T42	MTT810	DU MTT	812U	TH	1945A	CL94	5A		CSA	Г924	
DY0T41	MBD82				-	-			HW8	68	MSD08
DY0T42	MTT810	DU MTT	812U	TH	1945A	CL94	5A	_;	CSA	Г924	
Custon	n										
NY2F41	NBD822	2U NFT	816		-	-		T : I	LINAGO		NODOO
NY2F42	NTT812	U NTT	813U	TH	945A	-		T []	HWE	168	NSD08
NY2T41	NBD822	2U NTT	814		-	-		- : :	HW8	68	NSD08
NY2T42	NTT810	U NTT	812U	TH	945A	CL94	5A	- :			
NY0T41	NBD820	TTM UC	814		-	-		T :	HW	68	NSD08
NY0T42	NTT810	DU NTT	812U	TH	945A	CL94	5A				
e Custo	om A	dvar	ntage	1 e	Nouv	⁄eau	(v	/ith I	Har	dwa	re)
SCN2F51	SBD622UN	SFT616N	TH945A	F	P7210	_		_	Ι.		T -
						HS740	100	3740			
						-	100	-	1		-
						HS740	S	3740	TH	1904	CL945
						-	1	-	_		-
						HS740	S	3740	_		-
						-	1	-			-
SCN0F52	STT612UN					HS740	SS	3740		-	-
Custo	om A	dvar	ntage	e "	Woo	od" (wit	h Ha	ardv	vare	9)
SCAWS2F51A				_		-	Т	-			-
SCAWS2F52A	STT613YS	STT612YS	SSD065A	С	S745x2	HS740	SS	3740			-
SCAWS2T51A	SBD622YS	STT614YS	TH945A	F	P7210	-		-			-
SCAWS2T52A	STT612YS	STT610YS	SSD065A	С	S745x2	HS740	SS	S740	TH	1904	CL945
SCAWS0F51A	SBD620YS	SFT614YS	TH945A	F	P7210	-		-			-
SCAWS0F52A	STT612YS	STT610YS	SSD065A	ГС	S745x2	HS740	SS	S740		-	-
SCAWS0T51A	SBD620YS	STT614YS	TH945A	F	P7210	-		-			T -
SCAWS0T52A	STT612YS	STT610YS	SSD065A	C	S745x2	HS740	SS	S740	TH	1904	CL945
EEN (wit	h Hard	ware)									
RD2F51	RBD522	RFT516	RTT5	12	-	-			-		-
RD2F52	RTT513	RSD145	5 CS65	1W	HS650W	/ SS650	W	FP6	110	CL9	40BM x2
RD2FS51	RBD522	RFT514			-	-					-
RD2FS52	RTT512				HS650W	/ SS650	W	FP6	110	CL9	40BM x2
RD0F51	RBD520	RFT514			-	-					-
RD0F52	RTT512	RSD1350		_	HS650V	/ SS650	W	FP6	110	CL9	40BM x2
	RBD518	RFT513	RTT5		-	-					-
RD8F41											
	DY2F41 DY2F42 DY2F42 DY2F41 DY2F42 DY2T41 DY0T41 DY0T41 DY0T42 Custon NY2F41 NY2F42 NY0T41 NY2F42 NY0T41 NY2T42 NY0T41 SCN2F51 SCN2F51 SCN2F51 SCN2F55 SCN0F51 SCN2F55 SCN0F55 SCN0F5 SCN0F55 SCN0F5 SCN	Page	DY2F41	DY2F41 MBD822U MFT816	DY2F41	DY2F41	DY2F41	DY2F41	Custom Definitive	Custom Definitive	DY2F41

- *For more information on YAMAHA Snare Drums or YAMAHA Hardware, please refer to the Mini Catalogs.
- "YAMAHA Hardware" Mini Catalog (LDR0423), "YAMAHA Snare Drums" Mini Catalog (LDR0020)

U.S.A. http://www.yamahadrums.com						
EUROPE	http://www.yamaha-europe.com					
U.K.	http://www.yamaha-music.co.uk					
JAPAN (DTX, DTXPRESS)	http://www.yamaha.co.jp/english/product/drum/dtx/index.html					

*Some models may not be available in some countries.

*Colors shown in this catalog may not be represented exactly as the original colors due to printing processes involved.

*Specifications are subject to change without notice.



This document is printed on chlo-PRINTED WITH SOY INK rine- free (ECF) paper with soy ink.





